

Xeric and Xeric Native Full Sun

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
	<i>Achillea</i>	<i>millefolium</i>		Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
yes	<i>Agastache</i>	<i>cana</i>	'Sinning'	SONORAN SUNSET® Hyssop	moderate to xeric	Cut back to base/shear down to ground every spring. Then rake up.	Replace plants that may die every 5-10 years.
yes	<i>Agastache</i>	<i>rupestris</i>		Sunset Hyssop	moderate to xeric	Cut back to base/shear down to ground every spring. Then rake up.	Follow annual maintenance.
	<i>Agave</i>	<i>parryi</i>		Parry's Agave	dry to xeric	None required	None required
	<i>Amelanchier</i>	<i>utahensis</i>		Utah Serviceberry	moderate to xeric	No maintenance can be lightly sheared if desirable.	Follow annual maintenance
yes	<i>Amorpha</i>	<i>canascens</i>		Leadplant	dry to xeric	None required	None required
yes	<i>Amorpha</i>	<i>nana</i>		Dwarf Leadplant	dry to xeric	None required	None required
yes	<i>Amsonia</i>	<i>jonesii</i>		Colorado Desert Blue Star	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
yes	<i>Aquilegia</i>	<i>chrysantha</i>	DENVER GOLD®	DENVER GOLD® Columbine	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Arctostaphylos</i>	× <i>coloradensis</i>	'Panchito'	Panchito Manzanita	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
yes	<i>Arctostaphylos</i>	× <i>coloradensis</i>	'Chieftain'	Chieftain Manzanita	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
	<i>Artemisia</i>	<i>filifolia</i>		Sand Sage	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Berberis/Mahonia</i>	<i>aquifolium</i>		Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	<i>Berberis/Mahonia</i>	<i>aquifolium</i>	'Compacta'	Compact Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
yes	<i>Berlandiera</i>	<i>lyrata</i>		Chocolate Flower	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Bouteloua</i>	<i>gracilis</i>	'Blonde Ambition'	Blonde Ambition Blue Grama Grass	dry to xeric	Cut back every early spring.	Divide or remove old plants and replace with new plants.
yes	<i>Callirhoe</i>	<i>involucrata</i>		Winecups	dry to xeric	Cut back/shear to base every spring	No maintenance, long lived plant that is well behaved.
	<i>Caryopteris</i>	× <i>clandonensis</i>	'Blue Mist'	Blue Mist Spirea	moderate to dry	Do not shear to shape.	Follow annual maintenance
yes	<i>Cercocarpus</i>	<i>intricatus</i>		Little Leaf Mountain Mahogany	dry to xeric	Shear once a year from much tighter growth. Can also be sheared in the spring to shape into a short hedge if desired.	Follow annual maintenance.
	<i>Cercocarpus</i>	<i>montana</i>		Curly Leaf Mountain Mahogany	dry to xeric	Shear once a year from much tighter growth. Can also be sheared in the spring to shape into a short hedge if desired.	Follow annual maintenance.
yes	<i>Chamaebatiaria</i>	<i>millefolium</i>		Fernbush	dry to xeric	Shape/Shear 2"-6" off all branch tips every early spring into a nice round mound. This will promote a great branching structure for a nice dense shrub, while deadheading each year. Leave the short branch tips on the ground as "mulch".	Follow annual maintenance.
yes	<i>Chrysothamnus</i>	<i>nauseosus</i>	var. <i>nauseosus</i> (baby blue form)	Baby Blue Rabbitbrush	dry to xeric	Shape/Shear to small mound or just enough to remove seedheads EVERY late fall or very early spring. This will maximize late summer blooming.	Follow annual maintenance
	<i>Coreopsis</i>	<i>lanceolata</i>		Lanceleaf Tickseed	moderate to dry	Cut back/shear to base every spring	Follow annual maintenance.

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
yes	<i>Crambe</i>	<i>maritima</i>		Curly Leaf Sea Kale	moderate to dry	Prune back hard in fall or spring after flowering	Follow annual maintenance
yes	<i>Crataegus</i>	<i>ambigua</i>		Russian Hawthorn	moderate to dry	Occasional thinning required in spring and every summer trim back any suckers that may occur at base. Use ISA pruning practices for pruning. On multi-stem specimens keep lower branches trimmed off to desired height.	Follow annual maintenance.
yes	<i>Cynodon</i>		DOG TUFF™	DOG TUFF™ Grass	moderate to xeric	Mow late May through August or do nothing for wildscape effect.	Follow annual maintenance.
yes	<i>Echium</i>	<i>amoenum</i>		Red Feathers	dry to xeric	Be sure to dead head/trim this plant in late summer down to basal foliage.	Remove dead plants and allow seedlings to grow in desired spots.
yes	<i>Engelmannia</i>	<i>peristenia</i>		Engelmann's Daisy	dry to xeric	Prune back/shear to ground in spring.	Follow annual maintenance. Weed any undesirable seedlings.
yes	<i>Epilobium</i>	<i>canum</i>	ssp. <i>garrettii</i> ORANGE CARPET®	ORANGE CARPET® Hummingbird Trumpet	moderate to xeric	No maintenance or trim a few inches each year to promote spreading the plant into a wider size.	Follow annual maintenance. This is a long lived perennial and continuously spreads out from center at a reasonable rate, but divide if it grows too large.
yes	<i>Eriogonum</i>	<i>umbellatum</i>	var. <i>aureum</i> KANNAH CREEK®	KANNAH CREEK® Sulphur Flower Buckwheat	moderate to xeric	Cut back/shear off spent flower heads every fall. Or leave for winter interest and shear in March.	No maintenance, long lived plant that is well behaved.
yes	<i>Eriogonum</i>	<i>wrightii</i>	var. <i>wrightii</i>	Snow Mesa Buckwheat	moderate to xeric	Dead head in spring.	Follow annual maintenance
yes	<i>Erodium</i>	<i>chrysanthum</i>		Golden Storksbill	moderate to xeric	Rake out dead leaves in spring if any.	Follow annual maintenance
	<i>Eschscholzia</i>	<i>californica</i>		California Poppy	dry to xeric	Shear after first bloom to keep plants tight and reblooming. Will self sow	Follow annual maintenance. Weed any undesirable seedlings.
yes	<i>Fallugia</i>	<i>paradoxa</i>		Apache Plume	dry to xeric	Do not shear to shape. Prune back selected larger branches if out grows space, otherwise leave it be. Typical shape is a cascading mound of texture, flowers and delicate seed heads.	Can rejuvenate growth by shearing entire plant down to a 2' mound in spring. Remove any suckers as needed
	<i>Forestiera</i>	<i>neomexicana</i>		New Mexican Privet	dry to xeric	Prune it up as a multi-stemmed small tree to showcase ornamental white bark and glowing bright yellow fall color.	Follow ISA pruning practices or call a certified arborist.
	<i>Helianthus</i>	<i>maximiliani</i>		Maximilian's Sunflower	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Helianthus</i>	<i>maximiliani</i>		Maximillian's sunflower	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
yes	<i>Hesperaloe</i>	<i>parviflora</i>		Red Yucca	dry to xeric	Trim flower stems back to base of plant every early spring.	Follow annual maintenance.
	<i>Holodiscus</i>	<i>dumosus</i>		Mountain Spray	dry to xeric	Do not shear to shape.	Follow annual maintenance.
yes	<i>Juniperus</i>	<i>scopulorum</i>	'Woodward'	Woodward Juniper	dry to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
	<i>Liatris</i>	<i>punctata</i>		Narrow Leaved Blazing Star	dry to xeric	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance.
yes	<i>Oenothera</i>	<i>macrocarpa</i>	ssp. <i>incana</i> SILVER BLADE®	SILVER BLADE® Evening Primrose	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Origanum</i>	<i>libanoticum</i>		Hopflower Oregano	moderate to dry	Prune back hard in spring to green shoots.	Follow annual maintenance.
	<i>Panicum</i>	<i>virgatum</i>		Swich grass	moderate to xeric	Cut back every early spring.	Divide or remove old plants and replace with new plants.
	<i>Penstemon</i>	<i>strictus</i>		Rocky Mountain Penstemon	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
yes	<i>Penstemon</i>	<i>rostriflorus</i>		Bridge's penstemon	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
yes	<i>Penstemon</i>	<i>barbatus</i>	'Coral Baby'	Coral Baby Penstemon	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
yes	<i>Penstemon</i>	<i>pinifolius</i>		Pineleaf Penstemon	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
yes	<i>Pinus</i>	<i>edulis</i>		Dwarf Pinon Pine	moderate to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
	<i>Pinus</i>	<i>edulis</i>		Pinyon Pine (tree form)	dry to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	Follow ISA pruning practices or call a certified arborist.
yes	<i>Prunus</i>	<i>pumila</i>	var. <i>besseyi</i> PAWNEE BUTTES®	PAWNEE BUTTES® Western Sand Cherry	moderate to xeric	After its mature, select a few larger branches and prune them off to about 6" above ground and let plant rejuvenate.	In the spring trim over all height back to less than 18" and allow it to rejuvenate.
	<i>Quercus</i>	<i>gambelii</i>		Gambel Oak	dry to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
	<i>Rhus</i>	<i>aromatica</i>	'Grow-low'	Fragrant Sumac	moderate to dry	No maintenance. If it out grows space trim it back hard in spring.	Follow annual maintenance
yes	<i>Salvia</i>	<i>argentea</i>		Silver Sage	dry to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Salvia</i>	<i>darcyi</i>	VERMILION BLUFFS®	VERMILION BLUFFS® mexican sage	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Salvia</i>	<i>pachyphylla</i>		Mojave Sage	moderate to xeric	No maintenance, can turn woody and won't need trimming back.	Follow annual maintenance. This can be a long lived if growing conditions are correct.
yes	<i>Satureja</i>	<i>montana</i> var. <i>illyrica</i>		Purple Winter Savory	moderate to xeric	Prune back/shear to ground in spring.	Follow annual maintenance.
yes	<i>Schizachyrium</i>	<i>scoparium</i>	'Standing Ovation'	Standing Ovation Little Bluestem	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance.
yes	<i>Scrophularia</i>	<i>macrantha</i>		Red Birds in a Tree	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance.
	<i>Solidago</i>	<i>rugosa</i>	'Fireworks'	Goldenrod	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
yes	<i>Sorghastrum</i>	<i>nutans</i>	'Thin Man'	Thin Man Indian Grass	moderate to xeric	Cut back every early spring or after a heavy snow makes them unsightly	Divide or remove old plants and replace with new plants.
yes	<i>Sporobolus</i>	<i>wrightii</i>		Giant Sacaton Grass	moderate to xeric	Cut/shear back every spring.	No maintenance, long lived plant that is well behaved. Will not die out in the center.
	<i>Thymus</i>	<i>serpyllum</i>	'Pink Chintz'	Pink Chintz Thyme	dry to xeric	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
	<i>Yucca</i>	<i>rostrata</i>		Beaked Yucca	xeric	No maintenance	No maintenance

"Traditional" Drought Tolerant Full to Part Sun

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
	<i>Achillea</i>	<i>millefolium</i>		Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
	<i>Achillea</i>	<i>millefolium</i>	'New Vintage Violet'	New Vintage Violet Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
	<i>Achillea</i>		'Moonshine'	Moonshine Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
	<i>Achillea</i>	<i>millefolium</i>	'Terra Cotta'	Terra Cotta Yarrow	moderate to xeric	Cut back/shear to base every spring	Follow annual maintenance
	<i>Allium</i>	<i>giganteum</i>		Giant Onion	moderate to dry	Cut back in summer after bloom to prevent seeding	Follow annual maintenance
	<i>Allium</i>		'Millenium'	Millenium Ornamental Onion	moderate to dry	Cut back in summer after bloom	Follow annual maintenance
	<i>Allium</i>		'Globemaster'	Globemaster Ornamental Onion	moderate to dry	Cut back in summer after bloom	Follow annual maintenance
yes	<i>Aquilegia</i>	<i>chrysantha</i>	DENVER GOLD®	DENVER GOLD® Columbine	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesirable seedlings.
yes	<i>Artemisia</i>	<i>versicolor</i>	'Sea Foam'	Sea Foam Sage	moderate to xeric	Prune back hard in spring if needed	Follow annual maintenance.
yes	<i>Artemisia</i>	<i>abrotanum</i>	'Leprechaun'	Leprechaun Southernwood	moderate to low	Cut back to base/shear down to the ground every spring, then rake up.	Replace plants that may die out every 5-10 years.
	<i>Aster</i>	<i>tataricus</i>		Tartarian Aster	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Baptisia</i>		many cultivars		moderate to dry	Cut back to base/shear down to ground every spring. Then rake up.	Follow annual maintenance.
	<i>Baptisia</i>	<i>australis</i>		False Indigo	moderate to dry	Cut back to base/shear down to ground every spring. Then rake up.	Follow annual maintenance.
	<i>Baptisia</i>	<i>sphaerocarpa</i>	'Screamin' Yellow'	'Screamin' Yellow' Wild Indigo	moderate to dry	Cut back to base/shear down to ground every spring. Then rake up.	Follow annual maintenance.
	<i>Berberis/Mahonia</i>	<i>aquifolium</i>		Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	<i>Berberis/Mahonia</i>	<i>aquifolium</i>	'Compacta'	Compact Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	<i>Berberis/Mahonia</i>	<i>repens</i>		Creeping Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
yes	<i>Buddleja</i>	<i>alternifolia</i>	'Argentea'	Silver Fountain Butterfly Bush	moderate to dry	Remove a few larger canes to base every 3-5 years to maintain healthy fresh growth habit. Or leave it alone. Do not shear.	Follow annual maintenance.
	<i>Caryopteris</i>	<i>× clandonensis</i>	'Blue Mist'	Blue Mist Spirea	moderate to dry	Do not shear to shape.	Follow annual maintenance
yes	<i>Clematis</i>	<i>hexapetala</i>		Mongolian Snowflakes	dry to xeric	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
	<i>Coreopsis</i>	<i>lanceolata</i>		Lanceleaf Tickseed	moderate to dry	Cut back/shear to base every spring	Follow annual maintenance.
yes	<i>Crataegus</i>	<i>ambigua</i>		Russian Hawthorn	moderate to dry	Occasional thinning required in spring and every summer trim back any suckers that may occur at base. Use ISA pruning practices for pruning. On multi-stem specimens keep lower branches trimmed off to desired height.	Follow annual maintenance.
yes	<i>Cynodon</i>		DOG TUFF™	DOG TUFF™ Grass	moderate to xeric	Mow late May through August or do nothing for wildscape effect.	Follow annual maintenance.
yes	<i>Daphne</i>	<i>× burkwoodii</i>	'Carol Mackie'	Carol Mackie Burkwood Daphne	moderate to dry	Leave alone or shear to shape after flowering in spring.	Follow annual maintenance.
yes	<i>Dianthus</i>		FIRST LOVE®	FIRST LOVE® Dianthus	moderate to dry	Prune back hard in spring.	Follow annual maintenance.

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
yes	<i>Echinacea</i>	<i>tennesseensis</i>		Tennessee Purple Coneflower	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance
	<i>Eschscholzia</i>	<i>californica</i>		California Poppy	dry to xeric	Shear after first bloom to keep plants tight and reblooming. Will self sow	Follow annual maintenance. Weed any undesirable seedlings.
	<i>Iris</i>	<i>germanica</i>		German Iris	dry to xeric	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance.
yes	<i>Juniperus</i>	<i>scopulorum</i>	'Woodward'	Woodward Juniper	dry to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
	<i>Lavandula</i>	<i>× intermedia</i>	'Niko'	Phenomenal™ Lavender	moderate to dry	Hand trim or shear back dead stems in spring.	Follow annual maintenance.
	<i>Lavandula</i>		'Munstead'	Munstead Lavender	moderate to dry	Hand trim or shear back dead stems in spring.	Follow annual maintenance.
yes	<i>Lavandula</i>		WEE ONE®	WEE ONE® Lavender	moderate to dry	Hand trim or shear back dead stems in spring.	Follow annual maintenance.
	<i>Liatis</i>	<i>punctata</i>		Narrow Leaved Blazing Star	dry to xeric	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance.
yes	<i>Muhlenbergia</i>	<i>reverchonii</i>	UNDAUNTED®	UNDAUNTED® Ruby Muhly	moderate to dry	Cut back every early spring.	Follow annual maintenance.
	<i>Nepeta</i>	<i>racemosa</i>	'Blue Wonder'	Blue Wonder Catmint	moderate to dry	Prune back/shear to ground in spring.	Follow annual maintenance.
	<i>Nepeta</i>	<i>× faassenii</i>	'Cat's Pajamas'	Cat's Pajamas Catmint	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance
yes	<i>Nepeta</i>		Little Trudy®	Little Trudy Catmint	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
	<i>Nepeta</i>	<i>racemosa</i>	'Walker's Low'	Walkers Low Catmint	moderate to dry	Prune back/shear to ground in spring.	Follow annual maintenance.
	<i>Nolina</i>	<i>lindheimeriana</i>		Devil's Shoestring	dry to xeric	None required	Follow annual maintenance.
yes	<i>Osteospermum</i>		'P006S'	LAVENDER MIST® Sun Daisy	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
	<i>Panicum</i>	<i>virgatum</i>		Switch grass	moderate to xeric	Cut back every early spring.	Divide or remove old plants and replace with new plants.
yes	<i>Picea</i>	<i>glauca</i>	'Pendula'	Weeping White Spruce	moderate to dry	No maintenance. Stake to establish; remove stakes after 2 years and let it grow.	Follow annual maintenance.
yes	<i>Prunus</i>		SUCKER PUNCH®	SUCKER PUNCH® Chokecherry	moderate to dry	Good growth habit and tends not to exhibit many crossing branches requiring less pruning maintenance. If pruning is required, use ISA practices for pruning as plant matures.	Follow ISA pruning practices or call a certified arborist.
yes	<i>Prunus</i>	<i>pumila</i>	var. <i>besseyi</i> PAWNEE BUTTES®	PAWNEE BUTTES® Western Sand Cherry	moderate to xeric	After its mature, select a few larger branches and prune them off to about 6" above ground and let plant rejuvenate.	In the spring trim over all height back to less than 18" and allow it to rejuvenate.
	<i>Quercus</i>	<i>gambelii</i>		Gambel Oak	dry to xeric	No maintenance. Do not shear, just let it grow. Stake to establish; remove stakes after 2 years.	No Maintenance.
	<i>Quercus</i>	<i>muehlenbergii</i>		Chinquapin Oak	moderate to dry	Stake to establish. Remove stakes after 2 years. Good growth habit and tends not to exhibit many crossing branches requiring less pruning maintenance. If pruning is required, use ISA practices for pruning as plant matures.	Follow ISA pruning practices or call a certified arborist.
	<i>Quercus</i>	<i>macrocarpa</i>		Bur Oak	moderate to dry	Follow ISA standards, if necessary hire professional arborist	Follow ISA pruning practices or call a certified arborist.

Plant Select	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
yes	<i>Satureja</i>	<i>montana var. illyrica</i>		Purple Winter Savory	moderate to xeric	Prune back/shear to ground in spring.	Follow annual maintenance.
	<i>Scabiosa</i>		Butterfly Blue	Butterfly Blue pincushion flower	moderate to xeric	Hand trim or shear back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
yes	<i>Schizachyrium</i>	<i>scoparium</i>	'Standing Ovation'	Standing Ovation Little Bluestem	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance.
	<i>Sedum</i>	<i>spectabile</i>	Indian Chief	Indian Chief stonecrop	moderate to xeric	Hand trim or shear back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
	<i>Sedum</i>	<i>sediforme</i>	Turquoise Tails	Turquoise Tails blue sedum	moderate to xeric	Shear/dead head back to foliage in summer after it has finished blooming.	Follow annual maintenance.
	<i>Sedum</i>		'Purple Emperor'	Purple Emperor Sedum	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
	<i>Solidago</i>	<i>rugosa</i>	'Fireworks'	Goldenrod	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial.
yes	<i>Sorghastrum</i>	<i>nutans</i>	'Thin Man'	Thin Man Indian Grass	moderate to xeric	Cut back every early spring or after a heavy snow makes them unsightly	Divide or remove old plants and replace with new plants.
	<i>Stachys</i>	<i>byzantina</i>		Lamb's Ear	moderate to dry	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
yes	<i>Stachys</i>	<i>lavandulifolia</i>		Pink Cotton Lamb's Ear	moderate to dry	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
yes	<i>Tanacetum</i>	<i>densum</i>	ssp. <i>amani</i>	Partridge Feather	moderate to xeric	No maintenance, unless there is some winter dieback, then trim/rake out dead.	Follow annual maintenance.
	<i>Thymus</i>	<i>serpyllum</i>	'Pink Chintz'	Pink Chintz Thyme	dry to xeric	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
yes	<i>Veronica</i>		'Reavis'	CRYSTAL RIVER™ Veronica	moderate to dry	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
yes	<i>Veronica</i>	<i>liwanensis</i>		Turkish veronica	moderate to xeric	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
yes	<i>Viburnum</i>	<i>burejaeticum</i>	Mini Man™	Mini Man viburnum	dry to xeric	No maintenance can be lightly sheared if desirable.	Follow annual maintenance. Trim back to 3' in spring after 10-15 years if it has grown taller than 6 feet. This is an easy to grow long lived shrub.
yes	<i>Viburnum</i>	× <i>rhytidophylloides</i>	'Alleghany'	Alleghany Viburnum	moderate to dry	No maintenance, trim back large canes in fall or spring to shape this shrub.	Follow annual maintenance.

Dry Shade								
Plant Select	Part or Full Shade	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
	full shade	<i>Alchemilla</i>	<i>mollis</i>		Lady's Mantle	moderate to dry		
	part	<i>Amelanchier</i>	<i>alnifolia</i>		Sasaktoon Serviceberry	moderate to dry	No maintenance can be lightly sheared if desireable.	Follow annual maintenance
	part	<i>Anemone</i>	× <i>hybrida</i>	'September Charm'	Anemone 'September Charm'	moderate to dry	Cut back/shear to base every spring	Follow annual maintenance
	part	<i>Anemone</i>	× <i>hybrida</i>	'Honorine Jobert'	Anemone 'Honorine Jobert'	moderate to dry	Cut back/shear to base every spring	Follow annual maintenance
yes	part/full	<i>Aquilegia</i>		REMEBERANCE®	REMEMBERANCE® Columbine	moderate to xeric	Hand trim back dead stems in spring.	Follow annual maintenance and allow to go to seed. Thin out any undesireable seedlings.
	part/full	<i>Aquilegia</i>	<i>coerulea</i>		Columbine	dry to xeric	Hand rake or run hand over to remove any dead foliage in spring	Follow annual maintenance.
	full shade	<i>Arctostaphylos</i>	<i>uva-ursi</i>		Bearberry	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
	part/full	<i>Artemisia</i>	<i>ludoviciana</i>		White Sage	dry to xeric	Hand rake or run hand over to remove any dead foliage in spring	Follow annual maintenance.
	part/full	<i>Berberis/Mahonia</i>	<i>repens</i>		Creeping Oregon Grape Holly	moderate to xeric	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	part/full	<i>Brunnera</i>	<i>macrophylla</i>		False Forget me not	moderate to dry	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance.
yes	part	<i>Calamagrostis</i>	<i>brachytricha</i>		Korean Feather Reed Grass	moderate to dry	Cut back every early spring or after a heavy snow makes them unsightly	Divide or remove old plants and replace with new plants.
	part/full	<i>Cornus</i>	<i>sericea</i>		Redtwig Dogwood	moderate to dry	Do not shear to shape.	Responds well to rejuvenation pruning if necessary
yes	part	<i>Daphne</i>	× <i>burkwoodii</i>	'Carol Mackie'	Carol Mackie Burkwood Daphne	moderate to dry	Leave alone or shear to shape after flowering in spring.	Follow annual maintenance.
yes	part	<i>Dianthus</i>		FIRST LOVE®	FIRST LOVE® Dianthus	moderate to dry	Prune back hard in spring.	Follow annual maintenance.
yes	part	<i>Echinacea</i>	<i>tennesseensis</i>		Tennessee Purple Coneflower	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance
	full shade	<i>Epimedium</i>			Bishop's Hat	moderate to dry	Hand rake or run hand over to remove any dead foliage in spring	Follow annual maintenance.
yes	part	<i>Erodium</i>	<i>chrysanthum</i>		Golden Storksbill	moderate to xeric	Rake out dead leaves in spring if any.	Follow annual maintenance
	full shade	<i>Gallium</i>	<i>odoratum</i>		Sweet Woodruff	moderate to dry	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
yes	part	<i>Geranium</i>	<i>magniflorum</i>	LA VETA LACE®	LA VETA LACE® Geranium	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance
	full shade	<i>Hedera</i>	<i>helix</i>		English Ivy	moderate to dry	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
	full shade	<i>Helleborus</i>	<i>orientalis</i>		Lenten Rose	moderate to dry	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
	full shade	<i>Heuchera</i>			Coral Bells	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance
	part	<i>Iris</i>	<i>germanica</i>		German Iris	dry to xeric	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance.
yes	part/full	<i>Jamesia</i>	<i>americana</i>		Waxflower	moderate to dry	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
yes	part	<i>Phlomis</i>	<i>cashmeriana</i>		Cashmere Sage	moderate to dry	Hand trim back dead stems in spring.	Follow annual maintenance.
yes	part/full	<i>Rhus</i>	<i>trilobata</i>	'Autumn Amber'	Autumn Amber Sumac	dry to xeric	No maintenance can be lightly sheared if desireable.	This is an easy long lived shrub that looks attractive as mass planting/groundcover under trees.
	part/full	<i>Rhus</i>	<i>aromatica</i>	Gro-Lo	Gro-Low Sumac	dry to xeric	No maintenance can be lightly sheared if desireable.	This is an easy long lived shrub that looks attractive as mass planting/groundcover under trees.
		<i>Rubus</i>	<i>deliciosus</i>		Boulder Raspberry	moderate to dry	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
yes	part	<i>Satureja</i>	<i>montana var. illyrica</i>		Purple Winter Savory	moderate to xeric	Prune back/shear to ground in spring.	Follow annual maintenance.
yes	part	<i>Scrophularia</i>	<i>macrantha</i>		Red Birds in a Tree	moderate to xeric	Cut/shear back every spring.	Follow annual maintenance.
	part	<i>Stachys</i>	<i>byzantina</i>		Lamb's Ear	moderate to dry	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
yes	part	<i>Stachys</i>	<i>lavandulifolia</i>		Pink Cotton Lamb's Ear	moderate to dry	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
yes	part	<i>Veronica</i>		'Reavis'	CRYSTAL RIVER™ Veronica	moderate to dry	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.
yes	part	<i>Veronica</i>	<i>liwanensis</i>		Turkish veronica	moderate to xeric	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.

Plant Select	Part or Full Shade	Genus	species	Cultivar	Common Name	Water Use	Annual Maintenance	5-10 years Maintenance
yes	part	<i>Viburnum</i>	<i>burejaeticum</i>	Mini Man™	Mini Man viburnum	moderate to dry	No maintenance can be lightly sheared if desireable.	Follow annual maintenance. Trim back to 3' in spring after 10-15 years if it has grown taller than 6 feet. This is an easy to grow long lived shrub.
	part	<i>Ribes</i>	sp.		Currant	moderate to xeric	No maintenance can be lightly sheared if desireable.	Follow annual maintenance. Best in naturalized areas

High Elevation - up to 8000'

Plant S	Genus	species	Cultivar	Common Name	Water Use	Installation Size	Annual Maintenance	5-10 years Maintenance
	<i>Achillea</i>	<i>millefolium</i>	'Paprika'	Paprika Yarrow	moderate to dry	quart	Cut back/shear to base every spring	Follow annual maintenance
	<i>Achillea</i>	<i>tomentosa</i>		Woolly Yarrow	moderate to dry	quart	Cut back in spring	Follow annual maintenance.
	<i>Aconitum</i>	<i>napellus</i>		Monkshood	moderate to dry	quart	Cut/shear back every spring. May require staking	Follow annual maintenance.
	<i>Alchemilla</i>	<i>mollis</i>		Lady's Mantle	moderate to dry	quart	Cut/shear back every spring.	Follow annual maintenance.
	<i>Alyssum</i>	<i>montanum</i>	'Mountain Gold'	Creeping Basket-of-Gold	moderate to dry	flat	Cut back in spring	Follow annual maintenance.
	<i>Amelanchier</i>	<i>alnifolia</i>	'Standing Ovation'	Standing Ovation Serviceberry	moderate to dry		Do not shear to shape. Prune out dead limbs	This can be a long lived woody shrub
	<i>Aquilegia</i>	<i>coerulea</i>		Colorado Blue Columbine	moderate to dry	flat	Cut back in spring	Follow annual maintenance.
yes	<i>Arctostaphylos</i>	× <i>coloradensis</i>	'Panchito'	Panchito Manzanita	moderate to dry	#1/1 gallon	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
	<i>Arctostaphylos</i>	<i>uva-ursi</i>		Bearberry	moderate to dry	#1/1 OR quart	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance. This can be a long lived woody shrub if growing conditions are correct.
	<i>Aronia</i>	<i>melanocarpa</i>		Black Chokeberry	moderate to dry	#1/1 gallon	Do not shear to shape. Prune out dead limbs	This can be a long lived woody shrub
	<i>Artemisia</i>	<i>ludoviciana</i>		White Sage	moderate to xeric	quart	Cut/shear back every spring.	This can be a vigorous plant. Divide and remove to keep contained
	<i>Baptisia</i>	<i>australis</i>		Blue False Indigo	moderate to dry	quart	Cut/shear back every spring.	Slow growing but long lived
	<i>Betula</i>	<i>occidentalis</i>		Western Birch	moderate to dry	#1/1 gallon		
	<i>Brunnera</i>	<i>macrophylla</i>		False Forget me not	moderate to dry	quart	Cut/shear back every spring.	Follow annual maintenance.
	<i>Calamagrostis</i>	× <i>acutiflora</i>	'Karl Foerster'	Feather Reed Grass Karl Foerster	moderate to dry	quart	Cut/shear back every spring.	Divide once center of plant no longer produces foliage
	<i>Cornus</i>	<i>sericea</i>		Redtwig Dogwood	moderate to dry		Do not shear to shape. Prune out dead limbs	Responds well to rejuvenation pruning if necessary
	<i>Delphinium</i>			Delphinium	moderate to dry	quart	Hand trim back dead stems in spring. May require staking	Follow annual maintenance.
	<i>Dianthus</i>	<i>barbatus</i>	'Double Midget Mix'	Double Midget Mix Dwarf Sweet William	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Dianthus</i>	<i>deltoides</i>	'Flashing Lights'	Flashing Lights Maiden Pink	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Dianthus</i>	<i>gratianopolitanus</i>	'Tiny Rubies'	Tiny Rubies Cheddar Pink	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance.
yes	<i>Epilobium</i>	<i>canum</i> ssp. <i>garrettii</i>	ORANGE CARPET®	ORANGE CARPET® Hummingbird Trumpet	moderate to dry	quart	No maintenance or trim a few inches each year to promote spreading the plant into a wider size.	Follow annual maintenance. This is a long lived perennial and continuously spreads out from center at a reasonable rate, but divide if it grows too large.
yes	<i>Epilobium</i>	<i>flescheri</i>		Alpine Willow Herb	moderate to dry	quart	Cut back dead stems in spring	Follow annual maintenance
yes	<i>Eriogonum</i>	<i>umbellatum</i> var. <i>aureum</i>	'Psdowns'	KANNAH CREEK® Sulphur Flower Buckwheat	moderate to dry	flat	No maintenance	Follow annual maintenance. This is a long lived perennial and continuously spreads out from center at a reasonable rate, but divide if it grows too large.
yes	<i>Erodium</i>	<i>chrysanthum</i>		Golden Storksbill	moderate to xeric	quart	Hand trim back dead stems in spring.	Follow annual maintenance
	<i>Eryngium</i>	× <i>zabelii</i>	'Big Blue'	Big Blue Sea Holly	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance
	<i>Euphorbia</i>	<i>polychroma</i>	'Bonfire'	Bonfire Cushion Spurge	moderate to dry	quart	Cut back in spring	Follow annual maintenance.
	<i>Forsythia</i>		'Meadowlark'	Meadowlark Forsythia	moderate to dry	#1/1 gallon	Do not shear to shape. Prune out dead limbs	Follow annual maintenance
	<i>Geum</i>			Geum	moderate to dry	quart	Cut back dead stems in spring	Follow annual maintenance
	<i>Helictotrichon</i>	<i>sempervirens</i>		Blue Oat Grass	moderate to dry	quart	Cut/shear back every spring.	Divide once center of plant no longer produces foliage
	<i>Helleborus</i>	<i>orientalis</i>		Lenten Rose	moderate to dry	quart	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
	<i>Heuchera</i>			Coral Bells	moderate to dry	quart	Cut back dead stems in spring	Follow annual maintenance
	<i>Iris</i>	<i>germanica</i>		German Iris	dry to xeric	quart	Prune back/shear to ground in early spring before growth resumes	Follow annual maintenance. Divide when blooming is reduced and center of plant is open
yes	<i>Jamesia</i>	<i>americana</i>		Waxflower	moderate to dry	#1/1 gallon	No maintenance, trim out any dead in spring if any.	Follow annual maintenance
	<i>Leucanthemum</i>	× <i>superbum</i>	any cultivar	Shasta Daisy	moderate to dry	quart	Cut back every spring	Follow annual maintenance. Divide when center of grass is no longer producing new growth
	<i>Lupinus</i>		any cultivar	Lupine (Russell Hybrids)	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance
	<i>Mahonia</i>	<i>repens</i>		Creeping Oregon Grape Holly	moderate to xeric	#1/1 gallon	Do not shear to shape. Prune out dead limbs	Follow annual maintenance

Plant S	Genus	species	Cultivar	Common Name	Water Use	Installation Size	Annual Maintenance	5-10 years Maintenance
yes	<i>Marrubium</i>	<i>rotundifolium</i>		Silverheels Horehound	moderate to xeric	quart	Trim back dead stems in spring	Follow annual maintenance
	<i>Narcissus</i>			Daffodils	moderate to dry	bulb	Plant in groups of 3 or 5 in a single hole for visual appeal and effect	Cut back yellowed leaves
yes	<i>Osteospermum</i>			PURPLE MOUNTAIN® Sun Daisy	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
	<i>Paeonia</i>			Peony	moderate to dry		Cut back dead stems in spring	Follow annual maintenance. Long lived perennial
	<i>Papaver</i>	<i>orientale</i>	'Brilliant'	Brilliant Oriental Poppy	moderate to dry	quart	Allow to self sow	Follow annual maintenance.
	<i>Papaver</i>	<i>orientale</i>	'Allegro'	Allegro Oriental Poppy	moderate to dry	quart	Allow to self sow	Follow annual maintenance.
	<i>Papaver</i>	<i>nudicaule</i>	'Champagne Bubbles'	Icelandic Poppy (Champagne Bubbles)	moderate to dry	quart	Cut back in spring	Follow annual maintenance.
yes	<i>Penstemon</i>	<i>pinifolius</i>		Pineleaf Penstemon	moderate to dry	quart	Hand trim back dead stems in spring.	Follow annual maintenance.
	<i>Phlox</i>	<i>subulata</i>	'Oakington Blue Eyes'	Oakington Blue Eyes Creeping Phlox	moderate to dry	quart	Cut back every spring	Follow annual maintenance.
	<i>Phlox</i>	<i>subulata</i>	'Scarlet Flame'	Scarlet Flame Creeping Phlox	moderate to dry	quart	Cut back every spring	Follow annual maintenance.
	<i>Phlox</i>	<i>subulata</i>	'Candy Stripe'	Candy Stripe Creeping Phlox	moderate to dry	quart	Cut back every spring	Follow annual maintenance.
	<i>Picea</i>	<i>pungens</i>	'Glauca Globosa'	Dwarf Colorado Spruce	moderate to dry	#1/1 gallon	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	<i>Picea</i>	<i>glauca</i>	'Densata'	Black Hills Spruce	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance.
	<i>Picea</i>	<i>pungens</i>	Fastigiata'	Columnar Blue Spruce	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Picea</i>		Waterfall'	Weeping Spruce 'Waterfall'	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Picea</i>	<i>glauca</i>	Pendula'	Weeping White Spruce	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Picea</i>	<i>mariana</i>	'Wellspire'	Wellspire White Spruce	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Pinus</i>	<i>cembra</i>		Swiss Stone Pine	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Populus</i>	<i>tremuloides</i>		Aspen	moderate to dry	4-5'	Never touch unless there is damage to branches and only prune those branches out in spring.	Call ISA certified arborist as necessary
	<i>Potentilla</i>	<i>fruticosa</i>	any cultivar	Potentilla	moderate to dry	#1/1 gallon	Prune out any dead branches.	Follow annual maintenance
yes	<i>Prunus</i>	<i>pumila</i> var. <i>besseyi</i>	PAWNEE BUTTES®	PAWNEE BUTTES® Western Sand Cherry	moderate to xeric	#1/1 gallon	After its mature, select a few larger branches and prune them off to about 6" above ground and let plant rejuvenate.	After its mature, select a few larger branches and prune them off to about 6" above ground and let plant rejuvenate.
	<i>Rubus</i>	<i>deliciosus</i>		Boulder Raspberry	moderate to dry	#1/1 gallon	Prune out any dead branches.	Follow annual maintenance
	<i>Saponaria</i>		'Max Frei'	Soapwort	moderate to dry	quart	Cut back in spring	Careful this can be vigorous and may require dividing to contain size
yes	<i>Scutellaria</i>	<i>scordiifolia</i>	'Pat Hayward'	SKY'S EDGE™ Skullcap	moderate to dry	quart	Cut/shear back every spring.	Follow annual maintenance.
	<i>Sedum</i>		Autumn Joy and other cultivars	Autumn Joy Sedum	moderate to dry	quart	Cut/shear back every spring.	Follow annual maintenance. This can be a long lived perennial if growing conditions are correct.
	<i>Shepherdia</i>	<i>argentea</i>	'Totem'	Totem Buffaloberry	moderate to xeric	#1/1 gallon	Never touch unless there is damage to branches and only prune those branches out in spring.	Follow annual maintenance
	<i>Solidago</i>	<i>rugosa</i>		Goldenrod	moderate to xeric	quart	Cut/shear back every spring.	Divide once center of plant no longer produces foliage
	<i>Stachys</i>	<i>byzantina</i>		Lamb's Ear	moderate to dry	quart	Shear back to the ground every spring to make way for the new year's growth.	Follow annual maintenance.
	<i>Thymus</i>	<i>praecox</i> ssp. <i>arcticus</i>	'Coccineus'	Red Creeping Thyme	moderate to dry	flat	Hand rake or run hand over to remove any dead foliage in spring	Follow annual maintenance.

Plant S	Genus	species	Cultivar	Common Name	Water Use	Installation Size	Annual Maintenance	5-10 years Maintenance
yes	<i>Veronica</i>	<i>liwanensis</i>		Turkish Veronica	moderate to dry	flat	Hand rake or run hand over to remove any dead foliage in spring	Trim out any dead, divide over grown areas and add plantings where desired.